Applicant: Gero Offer Serial No.: 09/759,606

Filed : January 12, 2001

Page : 2 of 11

Attorney's Docket No.: 12758-002001 Client Docket No.: P2000P01017US

AMENDMENTS TO THE CLAIMS:

This listing of claims replaces all prior versions and listings of claims in the application.

LISTING OF CLAIMS:

1. (Currently Amended) A method of dispensing a product from a vending machine, comprising:

receiving a signal from a cellular telephone at a start of the method in order to establish a connection to the cellular telephone, the connection enabling the vending machine to dispense the product in connection with use of the cellular telephone;

issuing a response to the signal which indicates that a the connection has been established between the cellular telephone and the vending machine prior to dispensing the product;

receiving information indicating that the product has been selected; and dispensing the product in response to the information when the connection has been established.

- 2. (Original) The method of claim 1, further comprising: outputting the cost of the product; and debiting an account for the cost to pay for the product.
- 3. (Original) The method of claim 1, wherein the response comprises a visual indication that is displayed on the cellular telephone.

Applicant: Gero Offer Serial No.: 09/759,606

Filed: January 12, 2001

Page

: 3 of 11

Attorney's Docket No.: 12758-002001 Client Docket No.: P2000P01017US

4. (Original) The method of claim 1, wherein the response comprises an audio indication that is presented via the cellular telephone.

5. (Original) The method of claim 1, wherein the response is issued and the signal is received over a mobile communications network.

6. (Original) The method of claim 1, further comprising: monitoring an amount of the product in the vending machine; and outputting an indication when the vending machine is out of a product.

7. (Currently Amended) An apparatus for dispensing a product, comprising:

a transceiver which <u>first</u> receives a signal from a cellular telephone <u>in order to establish a connection to the cellular telephone</u>, the connection enabling the apparatus to dispense the <u>product in connection with use of the cellular telephone</u>, and which then and issues a response to the signal which indicates that a <u>the</u> connection has been established between the cellular telephone and the apparatus <u>prior to dispensing the product</u>;

a retrieving device which receives information indicative of the product; and a dispensing device which dispenses the product in response to the information and when

the connection has been established.

Applicant: Gero Offer Serial No.: 09/759,606

Filed: January 12, 2001

Page : 4 of 11

8. (Original) The apparatus of claim 7, wherein the transceiver outputs the cost of the product.

Attorney's Docket No.: 12758-002001

Client Docket No.: P2000P01017US

- 9. (Original) The apparatus of claim 7, wherein the response comprises a visual indication for display on the cellular telephone.
- 10. (Original) The apparatus of claim 7, wherein the response comprises an audio indication for presentation via the cellular telephone.
- 11. (Original) The apparatus of claim 7, wherein the response is issued and the signal is received over a mobile communications network.
 - 12. (Original) The apparatus of claim 7, further comprising:

an inventory monitoring device which monitors an amount of the product in the vending machine and generates a signal indicating that the vending machine is out of the product, wherein the transceiver outputs the signal.

- 13. (Currently Amended) A system comprising:
- a communications network;
- a first communication device connected to the communications network; and
- a vending machine comprising:
 - a retrieving device for obtaining a product from the vending machine:



Applicant: Gero Offer Serial No.: 09/759,606

Filed: January 12, 2001

Page : 5 of 11

a second communication device connected to the communications network; and a dispensing device for dispensing the product from the vending machine;

Attorney's Docket No.: 12758-002001

Client Docket No.: P2000P01017US

wherein the first communication device first sends a signal to the second communication device in order to establish a connection to the second communication device, the connection enabling the vending machine to dispense the product in connection with use of the first communication device, and the second communication device issues a signal to the first communication device indicating that the devices establish a connection has been established prior to dispensing the product via the communications network, the connection enabling the retrieving device and the dispensing device.

- 14. (Original) The system of claim 13, wherein the first communication device comprises a telephone.
- 15. (Original) The system of claim 14, wherein the telephone comprises a cellular telephone.
- 16. (Original) The system of claim 13, wherein the second communication device comprises a transceiver.
- 17. (Original) The system of claim 13, wherein the communications network comprises a mobile radio network.

W

Applicant: Gero Offer Serial No.: 09/759,606

Attorney's Docket No.: 12758-002001 Client Docket No.: P2000P01017US

Filed: January 12, 2001

Page : 6 of 11

18. (Original) The system of claim 13, wherein the communications network comprises:

a telephone network; and

a gateway server that connects the vending machine to the telephone network.

19. (Original) The system of claim 13, wherein a code number is associated with the vending machine and the first communication device establishes the connection to the second

communication device using the code number.

20. (Original) The system of claim 13, wherein the vending machine further comprises

an inventory monitoring system for monitoring the inventory of the product.

21. (Original) The system of claim 20, wherein the inventory monitoring system outputs

a signal when the vending machine is out of the product.

22. (Original) The system of claim 13, further comprising a peripheral device which

receives a signal from the second communication device and generates a menu in response to the

signal.